

ERF5044, RF cable, 200 mm, SMA-Female & U.FL

**Features**

**Mechanical Properties**

Parameter:	Description
Connector Type:	SMA Female & U.FL
Cable Length:	200 mm ± 3
Cable type:	Coaxial
Operating Temperature Range:	-20°C~+75°C
Storage Temperature Range:	-40°C~+80°C



**Typical applications**


- RF Cable assembly
- Antenna accessory

**Description**

The ERF5044 is a RF-Cable suitable for RF applications. the cable has 1 U.FL connector and 1 SMA-female connector. It can be used for RF cable assemblies, and as an add-on for antenna's.

**Dimensions**

\*unit: mm



Part	Description	QTY
1	Cable $\varnothing$ 1.13mm, Black	1
2	SMA ST. Jack	1
3	IPEX, U.FL	1
4	Washer, Brass, Gold plating	1
5	NUT, Brass, Gold plating	1
6	O-ring, Black	1
7	Heat shrink tube, Black	1

ERF5044, RF cable, 200 mm, SMA-Female & U.FL

---

### Connector

**SMA Male****SMA Female****RP-SMA Male****RP-SMA Female**

The ERF5044 uses an U.FL and a SMA female connector

### Ordering information

Ordering can be done via [www.summit-electronics.com](http://www.summit-electronics.com) or via [info@summit-electronics.com](mailto:info@summit-electronics.com). Please contact us for more information. Customisation of the product is available on request.

### Technical support

For all product questions please contact us via [info@summit-electronics.com](mailto:info@summit-electronics.com)